

CrowdStrike Accessibility Conformance Report

**VPAT® Version 2.4
(Revised) — March 2022¹**

Falcon® Platform

Name of product/version	The CrowdStrike Falcon® Platform
Product description	Website
Report Date	February 9, 2024
Contact Information	compliance@crowdstrike.com
Notes	
Evaluation methods used	<p>This conformance report is based on the results of an accessibility audit conducted by TetraLogical on a representative sample of pages across selected user journeys for the purpose of assessing conformance to the Web Content Accessibility Guidelines (WCAG) 2.1.</p> <p>The testing included manual accessibility testing, automated accessibility tools and testing with assistive technology across multiple platforms and browsers.</p> <p>The following tools were used as part of the audit to identify potential accessibility issues:</p> <ul style="list-style-type: none">• Desktop browsers: Firefox, Chrome, Safari• Mobile browsers: iOS Safari, Android Chrome• Assistive technologies: JAWS 2024, NVDA, iOS VoiceOver, Android TalkBack• Accessibility testing tools: ARC Toolkit, Color Contrast Analyzer

Falcon® Platform

Applicable Standards/Guidelines

The report covers the degree of conformance for the following accessibility standards/guidelines:

Standard/guideline	Included in report
<p>Web Content Accessibility Guidelines 2.0</p>	<p>Level A — Yes Level AA — Yes Level AAA — No</p>
<p>Web Content Accessibility Guidelines 2.1</p>	<p>Level A — Yes Level AA — Yes Level AAA — No</p>
<p>Revised Section 508 standards published January 18, 2017, and corrected January 22, 2018</p>	<p>Yes</p>
<p>EN 301 549 Accessibility requirements suitable for public procurement of ICT products and services in Europe — V3.1.1 (2019-11) and EN 301 549 Accessibility requirements for ICT products and services — V3.2.1 (2021-03)</p>	<p>Yes</p>

Falcon® Platform

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially supports:** Some functionality of the product does not meet the criterion.
- **Does not support:** The majority of product functionality does not meet the criterion.
- **Not applicable:** The criterion is not relevant to the product.
- **Not evaluated:** This product has not been evaluated against the criterion.

Table of contents

Applicable Standards/Guidelines	3
Terms	4
WCAG 2.0/2.1 Report	6
Table 1: WCAG 2.0/2.1 Success Criteria, Level A	6
Table 2: WCAG 2.0/2.1 Success Criteria, Level AA	22
Table 3: WCAG 2.0/2.1 Success Criteria, Level AAA	32
Revised Section 508 Report	32
Chapter 3: Functional Performance Criteria (FPC)	32
Chapter 4: Hardware	36
Chapter 5: Software	36
Chapter 6: Support Documentation and Services	36
EN 301 549 Report	37
Chapter 4: Functional Performance Statements (FPS)	37
Chapter 5: Generic Requirements	42
Chapter 6: ICT with Two-Way Voice Communication	42
Chapter 7: ICT with Video Capabilities	42
Chapter 8: Hardware	42
Chapter 9: Web	42
Chapter 10: Non-Web Documents	42
Chapter 11: Software	42
Chapter 12: Documentation and Support Services	42
Chapter 13: ICT Providing Relay or Emergency Service Access	42
Legal Disclaimer	43

Falcon® Platform

WCAG 2.0/2.1 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 — Web, Sections 10.1-10.4 of Chapter 10 — Non-Web Documents, Sections 11.1-11.4 and 11.8.2 of Chapter 11 — Non-Web Software (Open and Closed Functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 — Documentation
- Revised Section 508: Chapter 5 — 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 — 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes and accessibility-supported ways of using technology, as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: WCAG 2.0/2.1 Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p>1.1.1 Non-text Content (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.1.1 (Web) • 10.1.1.1 (Non-web Document) • 11.1.1.1.1 (Open Functionality Software) • 11.1.1.1.2 (Closed Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) • Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially supports	<p>Non-text content that is presented to the user has a text alternative that serves the equivalent purpose, with some exceptions. These include:</p> <ul style="list-style-type: none"> • Icons are used to convey information without an equivalent • There are complex charts and graphics without a text equivalent

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.1 Audio-only and Video-only (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.2.1 (Web) 10.1.2.1 (Non-web Document) 11.1.2.1.1 (Open Functionality Software) 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Not applicable</p>	<p>The website does not include prerecorded audio-only or prerecorded video-only content.</p>
<p>1.2.2 Captions (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.2.2 (Web) 10.1.2.2 (Non-web Document) 11.1.2.2 (Open Functionality Software) 11.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Not applicable</p>	<p>The website does not include any prerecorded audio content within synchronized media.</p>

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web Document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not applicable</p>	<p>The website does not include any synchronized media that requires an accessible alternative.</p>
<p>1.3.1 Info and Relationships (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.1 (Web) • 10.1.3.1 (Non-web Document) • 11.1.3.1.1 (Open Functionality Software) • 11.1.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Does not support</p>	<p>Information, structure and relationships conveyed through presentation cannot be programmatically determined and are not available in text. Examples include:</p> <ul style="list-style-type: none"> • Headings are not marked up as headings • Name/value pairs are not programmatically related • Group labels are not identified • Some error messages are not programmatically associated with the form control in error • There are data tables without table semantics and incorrectly structured data tables • There are elements with an incorrect role

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.2 Meaningful Sequence (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.2 (Web) • 10.1.3.2 (Non-web Document) • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially supports</p>	<p>A correct reading sequence can be programmatically determined for all content, with the following exceptions:</p> <ul style="list-style-type: none"> • Dates in date pickers do not expose data table semantics • Company names in the store are positioned before their heading
<p>1.3.3 Sensory Characteristics (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.3 (Web) • 10.1.3.3 (Non-web Document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components.</p>

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.1 Use of Color (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.1 (Web) 10.1.4.1 (Non-web Document) 11.1.4.1 (Open Functionality Software) 11.1.4.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Partially supports</p>	<p>Color is not used as the only visual means of conveying information, indicating an action, prompting a response or distinguishing a visual element, with the following exceptions:</p> <ul style="list-style-type: none"> Charts use color alone to distinguish entities Focus indicators are indicated by color alone
<p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.2 (Web) 10.1.4.2 (Non-web Document) 11.1.4.2 (Open Functionality Software) 11.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Not applicable</p>	<p>The website does not include any audio controls.</p>

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.1 Keyboard (Level A)</p> <ul style="list-style-type: none"> Also applies to: EN 301 549 Criteria 9.2.1.1 (Web) 10.2.1.1 (Non-web Document) 11.2.1.1.1 (Open Functionality Software) 11.2.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Partially supports</p>	<p>All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes (except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints), with some exceptions. These include:</p> <ul style="list-style-type: none"> Some buttons are not reachable or operable using a keyboard Data points in charts are not operable when a screen reader is running Some tooltips cannot be displayed using the keyboard The workflow diagram can be moved using a mouse, but there is no equivalent for the keyboard
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.1.2 (Web) 10.2.1.2 (Non-web Document) 11.2.1.2 (Open Functionality Software) 11.2.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Supports</p>	<p>For all components that receive keyboard focus, focus can be moved away from that component using the keyboard.</p>

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.4 Character Key Shortcuts (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.4 (Web) • 10.2.1.4 (Non-web Document) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 — Does not apply</p>	<p>Not applicable</p>	<p>The website does not use single character key keyboard shortcuts.</p>
<p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.1 (Web) • 10.2.2.1 (Non-web Document) • 11.2.2.1 (Open Functionality Software) • 11.2.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Does not support</p>	<p>The website has time limits of less than 20 hours that are not required as part of a real-time event or otherwise essential, but there are no mechanisms available to turn off, adjust or extend time limits.</p>

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>2.2.2 Pause, Stop, Hide (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.2 (Web) • 10.2.2.2 (Non-web Document) • 11.2.2.2 (Open Functionality Software) • 11.2.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not applicable</p>	<p>The website does not include any moving, blinking, scrolling or auto-updating information (that starts automatically, lasts longer than five seconds and is presented in parallel with other content).</p>
<p>2.3.1 Three Flashes or Below Threshold (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.3.1 (Web) • 10.2.3.1 (Non-web Document) • 11.2.3.1 (Open Functionality Software) • 11.2.3.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>The website does not include content that flashes.</p>

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.1 Bypass Blocks (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web Document) — Does not apply • 11.2.4.1 (Open Functionality Software) — Does not apply • 11.2.4.1 (Closed Software) — Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) — Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) — Does not apply to non-web docs 	<p>Supports</p>	<p>A mechanism is available to bypass blocks of content that are repeated on multiple pages.</p>
<p>2.4.2 Page Titled (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.2 (Web) • 10.2.4.2 (Non-web Document) • 11.2.4.2 (Open Functionality Software) — Does not apply • 11.2.4.2 (Closed Software) — Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>All pages have titles that describe their topic or purpose.</p>

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.3 (Web) 10.2.4.3 (Non-web Document) 11.2.4.3 (Open Functionality Software) 11.2.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Partially supports</p>	<p>All focusable components receive focus in an order that preserves meaning and operability, with some exceptions. These include:</p> <ul style="list-style-type: none"> Non-interactive elements are included in the keyboard Focus is moved from checkboxes and placed elsewhere on the page when activated Focus is temporarily lost after a sort button has been activated; pressing TAB bypasses the rest of the column headers, and focus resumes in the data table
<p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.4 (Web) 10.2.4.4 (Non-web Document) 11.2.4.4 (Open Functionality Software) 11.2.4.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Partially supports</p>	<p>The purpose of all links can be determined from the link text alone, or from the link text together with its programmatically determined link context, with some exceptions. These include:</p> <ul style="list-style-type: none"> The link text within the SHA-based detections section in the Activity Dashboard is very long and verbose Some links have SVG icons to indicate they open in a new window, but this is not included in the link phrase The dashboards — Intelligence — Falcon X Actors have links that are values rather than descriptive names that describe the target

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.1 Pointer Gestures (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.1 (Web) • 10.2.5.1 (Non-web Document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 — Does not apply</p>	<p>Not applicable</p>	<p>The website does not require multipoint/path-based gestures.</p>
<p>2.5.2 Pointer Cancellation (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.2 (Web) • 10.2.5.2 (Non-web Document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 — Does not apply</p>	<p>Supports</p>	<p>For all functionality that can be operated using a single pointer, all pointer event interactions can be cancelled as per the SC requirements.</p>

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.3 Label in Name (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.3 (Web) • 10.2.5.3 (Non-web Document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 — Does not apply</p>	<p>Partially supports</p>	<p>For all user interface components with labels that include text or images of text, the accessible name of the component contains the text that is presented visually, with some exceptions. These include:</p> <ul style="list-style-type: none"> • Some elements use an aria-label attribute with a value that does not match the visible label • Some form controls have a visible label that is not programmatically associated and an accessible name provided using the placeholder attribute that does not match the label • Some comboboxes have an accessible name for the current value rather than the visible label
<p>2.5.4 Motion Actuation (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.4 (Web) • 10.2.5.4 (Non-web Document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 — Does not apply</p>	<p>Not applicable</p>	<p>The website does not include functionality that can be operated by device motion or user motion.</p>

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.1 (Web) • 10.3.1.1 (Non-web Document) • 11.3.1.1.1 (Open Functionality Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>The default language of all pages can be programmatically determined.</p>
<p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.1 (Web) • 10.3.2.1 (Non-web Document) • 11.3.2.1 (Open Functionality Software) • 11.3.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>No user interface component initiates a change of context when it receives focus.</p>

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>3.2.2 On Input (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.2 (Web) • 10.3.2.2 (Non-web Document) • 11.3.2.2 (Open Functionality Software) • 11.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially supports</p>	<p>Changing the setting of user interface components does not automatically cause a change of context, with some exceptions. These include:</p> <ul style="list-style-type: none"> • Focus is reset to the start of the page when a "Status" switch is toggled in Workflows • Focus is removed from some disclosure buttons when activated • Activating the "Enable new host management experience" and "Hide search history" checkboxes in Support — User Profile causes the page to reload
<p>3.3.1 Error Identification (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.1 (Web) • 10.3.3.1 (Non-web Document) • 11.3.3.1.1 (Open Functionality Software) • 11.3.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>For all input errors that are automatically detected, the item that is in error is identified and the error is described to the user in text.</p>

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>3.3.2 Labels or Instructions (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.3.2 (Web) 10.3.3.2 (Non-web Document) 11.3.3.2 (Open Functionality Software) 11.3.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Partially supports</p>	<p>For all input errors that are automatically detected, the item that is in error is identified and the error is described to the user in text, with some exceptions. These include:</p> <ul style="list-style-type: none"> Some form controls do not have a label, and the purpose is not clear Some form controls are labeled using placeholder text, which is not permanent
<p>4.1.1 Parsing (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.4.1.1 (Web) 10.4.1.1 (Non-web Document) 11.4.1.1.1 (Open Functionality Software) 11.4.1.1.2 (Closed Software) — Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Supports</p>	<p>For WCAG 2.0, 2.1 and 2.2, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata.</p>

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.2 (Web) • 10.4.1.2 (Non-web Document) • 11.4.1.2.1 (Open Functionality Software) • 11.4.1.2.2 (Closed Software) — Not required • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Does not support</p>	<p>The name, role or state of user interface components cannot be programmatically determined. Examples include:</p> <ul style="list-style-type: none"> • Some tooltips do not have an accessible name, and the content of the tooltip is not announced by screen readers • Several form controls, such as switches, do not have an accessible name • Some dialogs do not have an accessible name • Some buttons do not have a role • Some disclosure buttons do not indicate the expanded/collapsed state • Some toggle buttons do not expose the pressed state • Form controls in error do not indicate the error state

Falcon® Platform

Table 2: WCAG 2.0/2.1 Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.4 (Web) • 10.1.2.4 (Non-web Document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not applicable</p>	<p>The website does not include live audio content within synchronized media.</p>
<p>1.2.5 Audio Description (Prerecorded) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.5 (Web) • 10.1.2.5 (Non-web Document) • 11.1.2.5 (Open Functionality Software) • 11.1.2.5 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not applicable</p>	<p>The website does not include prerecorded video content within synchronized media.</p>

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.4 Orientation (Level AA 2.1 only)</p> <p>Also applies to:</p> <ul style="list-style-type: none"> • EN 301 549 Criteria • 9.1.3.4 (Web) • 10.1.3.4 (Non-web Document) • 11.1.3.4 (Open Functionality Software) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 — Does not apply</p>	<p>Supports</p>	<p>The website does not restrict the view and operation of content to a single display orientation.</p>
<p>1.3.5 Identify Input Purpose (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.5 (Web) • 10.1.3.5 (Non-web Document) • 11.1.3.5.1 (Open Functionality Software) • 11.1.3.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 — Does not apply</p>	<p>Does not support</p>	<p>The purpose of input fields that collect information about the user cannot be programmatically determined. Examples include:</p> <ul style="list-style-type: none"> • The "First name" and "Last name" edit fields do not identify the input purpose in Support — User Profile • The "Current password" and "New password" edit fields in the "Change password" dialog in Support — User Profile do not indicate the input purpose

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.3 Contrast (Minimum) (Level AA) Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.3 (Web) 10.1.4.3 (Non-web Document) 11.1.4.3 (Open Functionality Software) 11.1.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Partially supports</p>	<p>The visual presentation of all text has a contrast ratio of at least 4.5:1, with some exceptions. These include:</p> <ul style="list-style-type: none"> Some form control labels have insufficient contrast Some buttons have insufficient contrast when focused Gray text in data tables has insufficient contrast
<p>1.4.4 Resize text (Level AA) Also applies to:</p> <ul style="list-style-type: none"> EN 301 549 Criteria 9.1.4.4 (Web) 10.1.4.4 (Non-web Document) 11.1.4.4.1 (Open Functionality Software) 11.1.4.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Partially supports</p>	<p>All text can be resized without assistive technology by zooming up to 200% with no loss of content or functionality, with some exceptions. These include:</p> <ul style="list-style-type: none"> The main content is masked by the fixed header and banner when zoomed to 200% in a 1280 × 1024 viewport in Spotlight — Reports Focus can go to menu items in menu buttons that are rendered outside the visible viewport when zoomed to 200%

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.5 (Web) 10.1.4.5 (Non-web Document) 11.1.4.5.1 (Open Functionality Software) 11.1.4.5.2 (Closed Software) — Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Supports</p>	<p>Text, rather than images of text, is used to convey information.</p>
<p>1.4.10 Reflow (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <p>9.1.4.10 (Web)</p> <p>10.1.4.10 (Non-web Document)</p> <p>11.1.4.10 (Open Functionality Software)</p> <p>11.1.4.10 (Closed Software)</p> <p>11.8.2 (Authoring Tool)</p> <p>12.1.2 (Product Docs)</p> <p>12.2.4 (Support Docs)</p> <p>Revised Section 508 — Does not apply</p>	<p>Does not support</p>	<p>Content cannot be resized to a width of 320 CSS pixels/a height of 256 CSS pixels without loss of content or functionality and without requiring scrolling in two dimensions. Examples include:</p> <ul style="list-style-type: none"> The main content is masked by fixed headers and footers when zoomed to 400% in a 1280 × 1024 viewport Horizontal and vertical scrollbars are introduced when zoomed to 400% in a 1280 × 1024 viewport

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.11 Non-text Contrast (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.11 (Web) • 10.1.4.11 (Non-web Document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 — Does not apply</p>	<p>Does not support</p>	<p>The visual presentation of user interface components and other graphical objects has a contrast ratio of less than 3:1. Examples include:</p> <ul style="list-style-type: none"> • The difference between the focused and unfocused state for focus indicators has insufficient contrast • The difference between selected and unselected menu items has insufficient contrast • Some icons have insufficient contrast
<p>1.4.12 Text Spacing (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web Document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 — Does not apply</p>	<p>Partially supports</p>	<p>The website allows for the changing of all relevant text style properties without loss of content or functionality, with some exceptions. These include:</p> <ul style="list-style-type: none"> • Content from within the Technique list becomes truncated when text spacing properties are applied in Activity — Detections • Some content is clipped in data tables when spacing properties are applied

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.13 Content on Hover or Focus (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.13 (Web) 10.1.4.13 (Non-web Document) 11.1.4.13 (Open Functionality Software) 11.1.4.13 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 — Does not apply</p>	<p>Does not support</p>	<p>Additional content displayed on hover or focus is not dismissable or hoverable. Examples include:</p> <ul style="list-style-type: none"> It is not possible to move the mouse cursor over some tooltips without them disappearing It is not possible to dismiss some tooltips without moving focus from the trigger
<p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.5 (Web) 10.2.4.5 (Non-web Document) — Does not apply 11.2.4.5 (Open Functionality Software) — Does not apply 11.2.4.5 (Closed Software) — Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) — Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) — Does not apply to non-web docs 	<p>Support</p>	<p>More than one way is available to locate webpages, except for pages that are the result of, or a step in, a process.</p>

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.6 Headings and Labels (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.6 (Web) • 10.2.4.6 (Non-web Document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially supports</p>	<p>All headings and labels appropriately describe the topic or purpose of their related content, with some exceptions. These include:</p> <ul style="list-style-type: none"> • Some form controls have nondescriptive names, such as "Remove: ,[object object]" • Several form controls have the same accessible name on some pages, such as several "Open menu" buttons that perform different actions • Some form controls have generic names that do not describe the purpose, such as "Type to filter"
<p>2.4.7 Focus Visible (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.7 (Web) • 10.2.4.7 (Non-web Document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially supports</p>	<p>All keyboard operable user interface components include an indication of keyboard focus, with some exceptions. These include:</p> <ul style="list-style-type: none"> • Focus can go to elements outside the visible viewport at a large zoom • Focus can go to interface elements masked by fixed banners • The focus indicator is the same color as the currently selected items, resulting in a temporary loss of visible focus

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>3.1.2 Language of Parts (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.2 (Web) • 10.3.1.2 (Non-web Document) • 11.3.1.2 (Open Functionality Software) — Does not apply • 11.3.1.2 (Closed Software) — Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>The human language of each passage or phrase in the content of all pages can be programmatically determined.</p>
<p>3.2.3 Consistent Navigation (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web Document) — Does not apply • 11.3.2.3 (Open Functionality Software) — Does not apply • 11.3.2.3 (Closed Software) — Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) — Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) — Does not apply to non-web docs 	<p>Supports</p>	<p>Navigational mechanisms that are repeated on multiple webpages within a set of webpages occur in the same relative order each time they are repeated unless a change is initiated by a user.</p>

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>3.2.4 Consistent Identification (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web Document) — Does not apply • 11.3.2.4 (Open Functionality Software) — Does not apply • 11.3.2.4 (Closed Software) — Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) — Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) — Does not apply to non-web docs 	<p>Supports</p>	<p>All components that have the same functionality within a set of webpages are identified consistently.</p>
<p>3.3.3 Error Suggestion (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.3 (Web) • 10.3.3.3 (Non-web Document) • 11.3.3.3 (Open Functionality Software) • 11.3.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially supports</p>	<p>For all automatically detected input errors where suggestions for correction are known, these suggestions are provided to the user, with some exceptions. These include:</p> <ul style="list-style-type: none"> • Formatting suggestions are not provided for malformed email addresses

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
<p>3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.3.4 (Web) 10.3.3.4 (Non-web Document) 11.3.3.4 (Open Functionality Software) 11.3.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Not applicable</p>	<p>The website does not include pages that cause legal commitments or financial transactions for the user to occur, modify or delete user-controllable data in data storage systems or submit user test responses.</p>
<p>4.1.3 Status Messages (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.4.1.3 (Web) 10.4.1.3 (Non-web Document) 11.4.1.3 (Open Functionality Software) 11.4.1.3 (Closed Software) — Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 — Does not apply</p>	<p>Partially supports</p>	<p>In all content implemented using markup languages, status messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus, with some exceptions. These include:</p> <ul style="list-style-type: none"> Some status messages are not announced by screen readers When filter buttons are operated, the page is visually updated, but nothing is announced by screen readers

Falcon® Platform

Table 3: WCAG 2.0/2.1 Success Criteria, Level AAA

Notes: Not Tested

Revised Section 508 Report

Notes:

Chapter 3: Functional Performance Criteria (FPC)

Notes: The mapping of WCAG 2.0 success criteria to the criteria in this chapter is based on [Section 508: Mapping of WCAG 2.0 to Functional Performance Criteria](#).

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Does not support	<p>Refer to issues identified in the WCAG 2.0/2.1 section, specifically the following criteria:</p> <ul style="list-style-type: none"> • 1.1.1 Non-text Content • 1.3.1 Info and Relationships • 1.3.2 Meaningful Sequence • 1.4.1 Use of Color • 2.1.1 Keyboard • 2.2.1 Timing Adjustable • 2.4.3 Focus Order • 2.4.4 Link Purpose (In Context) • 2.4.6 Headings and Labels • 3.2.2 On Input • 3.3.3 Labels or Instructions • 4.1.2 Name, Role, Value

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
302.2 With Limited Vision	Does not support	<p>Refer to issues identified in the WCAG 2.0/2.1 section, specifically the following criteria:</p> <ul style="list-style-type: none"> • 1.1.1 Non-text Content • 1.3.1 Info and Relationships • 1.3.2 Meaningful Sequence • 1.4.1 Use of Color • 1.4.3 Contrast (Minimum) • 1.4.4 Resize Text • 2.1.1 Keyboard • 2.2.1 Timing Adjustable • 2.4.3 Focus Order • 2.4.4 Link Purpose (In Context) • 2.4.6 Headings and Labels • 2.4.7 Focus Visible • 3.2.2 On Input • 3.3.2 Labels or Instructions • 3.3.3 Error Suggestion • 3.3.4 Error Prevention (Legal, Financial, Data) • 4.1.2 Name, Role, Value

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
302.3 Without Perception of Color	Partially supports	Refer to issues identified in the WCAG 2.0/2.1 section, specifically the following criteria: <ul style="list-style-type: none">1.4.1 Use of Color1.4.3 Contrast (Minimum)
302.4 Without Hearing	Partially supports	Refer to issues identified in the WCAG 2.0/2.1 section, specifically the following criterion: <ul style="list-style-type: none">1.1.1 Non-text Content
302.5 With Limited Hearing	Partially supports	Refer to issues identified in the WCAG 2.0/2.1 section, specifically the following criterion: <ul style="list-style-type: none">1.1.1 Non-text Content

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
302.6 Without Speech	Supports	
302.7 With Limited Manipulation	Partially supports	<p>Refer to issues identified in the WCAG 2.0/2.1 section, specifically the following criteria:</p> <ul style="list-style-type: none"> • 2.1.1 Keyboard • 2.1.2 No Keyboard Trap • 2.4.1 Bypass Blocks • 2.4.2 Page Titled • 2.4.3 Focus Order • 2.4.4 Link Purpose (In Context) • 2.4.5 Multiple Ways • 2.4.6 Headings and Labels • 2.4.7 Focus Visible • 3.2.4 Consistent Identification • 4.1.2 Name, Role, Value
302.8 With Limited Reach and Strength	Supports	

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially supports	<p>Refer to issues identified in the WCAG 2.0/2.1 section, specifically the following criteria:</p> <ul style="list-style-type: none"> • 1.1.1 Non-text Content • 1.3.1 Info and Relationships • 1.3.2 Meaningful Sequence • 1.4.1 Use of Color • 2.1.1 Keyboard • 2.2.1 Timing Adjustable • 2.4.3 Focus Order • 2.4.4 Link Purpose (In Context) • 2.4.6 Headings and Labels • 2.4.7 Focus Visible • 3.2.2 On Input • 3.3.2 Labels or Instructions

Chapter 4: Hardware

Notes: The CrowdStrike Falcon platform is not a hardware product.

Chapter 5: Software

Notes: The CrowdStrike Falcon platform is not a software product.

Chapter 6: Support Documentation and Services

Notes: The Documentation and Support Services for this product were not evaluated.

Falcon® Platform

EN 301 549 Report

Notes:

Chapter 4: Functional Performance Statements (FPS)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Does not support	<p>Refer to issues identified in the WCAG 2.0/2.1 section, specifically the following criteria:</p> <ul style="list-style-type: none"> • 1.1.1 Non-text Content • 1.3.1 Info and Relationships • 1.3.2 Meaningful Sequence • 1.4.1 Use of Color • 2.1.1 Keyboard • 2.1.2 No Keyboard Trap • 2.4.1 Bypass Blocks • 2.4.3 Focus Order • 2.4.4 Link Purpose (In Context) • 2.4.5 Multiple Ways • 2.4.6 Headings and Labels • 2.5.3 Label in Name • 3.2.4 Consistent Identification • 3.3.3 Labels or Instructions • 4.1.2 Name, Role, Value • 4.1.3 Status Messages

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
4.2.2 Usage with limited vision	Does not support	<p>Refer to issues identified in the WCAG 2.0/2.1 section, specifically the following criteria:</p> <ul style="list-style-type: none"> • 1.1.1 Non-text Content • 1.3.1 Info and Relationships • 1.3.2 Meaningful Sequence • 1.4.1 Use of Color • 1.4.3 Contrast (Minimum) • 1.4.4 Resize Text • 1.4.5 Images of Text • 1.4.10 Reflow • 1.4.11 Non-text Contrast • 1.4.12 Text Spacing • 1.4.13 Content on Hover or Focus • 2.1.1 Keyboard • 2.1.2 No Keyboard Trap • 2.4.1 Bypass Blocks • 2.4.3 Focus Order • 2.4.4 Link Purpose (In Context) • 2.4.5 Multiple Ways • 2.4.6 Headings and Labels • 2.4.7 Focus Visible • 2.5.3 Label in Name • 3.2.4 Consistent Identification • 3.3.2 Labels or Instructions • 4.1.2 Name, Role, Value • 4.1.3 Status Messages

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
4.2.3 Usage without perception of colour	Partially supports	Refer to issues identified in the WCAG 2.0/2.1 section, specifically the following criteria: <ul style="list-style-type: none"> • 1.4.1 Use of Color • 1.4.3 Contrast (Minimum) • 1.4.11 Non-text Contrast
4.2.4 Usage without hearing	Partially supports	Refer to issues identified in the WCAG 2.0/2.1 section, specifically the following criterion: <ul style="list-style-type: none"> • 1.1.1 Non-text Content
4.2.5 Usage with limited hearing	Partially supports	Refer to issues identified in the WCAG 2.0/2.1 section, specifically the following criteria: <ul style="list-style-type: none"> • 1.1.1 Non-text Content • 1.2.1 Audio-only and Video-only (Prerecorded) • 1.2.2 Captions (Prerecorded) • 1.2.4 Captions (Live) • 1.4.2 Audio Control • 3.1.1 Language of Page • 3.1.2 Language of Parts • 3.3.4 Error Prevention (Legal, Financial, Data)
4.2.6 Usage with no or limited vocal capability	Supports	

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
4.2.7 Usage with limited manipulation or strength	Partially supports	<p>Refer to issues identified in the WCAG 2.0/2.1 section, specifically the following criteria:</p> <ul style="list-style-type: none"> • 1.4.13 Content on Hover or Focus • 2.1.1 Keyboard • 2.1.2 No Keyboard Trap • 2.4.1 Bypass Blocks • 2.4.3 Focus Order • 2.4.4 Link Purpose (In Context) • 2.4.5 Multiple Ways • 2.4.6 Headings and Labels • 2.4.7 Focus Visible • 2.5.3 Label in Name • 3.2.4 Consistent Identification • 4.1.2 Name, Role, Value
4.2.8 Usage with limited reach	Supports	
4.2.9 Minimize photosensitive seizure triggers	Supports	

Falcon® Platform

Criteria	Conformance Level	Remarks and Explanations
4.2.10 Usage with limited cognition, language or learning	Partially supports	<p>Refer to issues identified in the WCAG 2.0/2.1 section, specifically the following criteria:</p> <ul style="list-style-type: none"> • 1.1.1 Non-text Content • 1.3.1 Info and Relationships • 1.3.2 Meaningful Sequence • 1.4.1 Use of Color • 1.4.5 Images of Text • 1.4.12 Text Spacing • 2.1.1 Keyboard • 2.2.2 Pause, Stop, Hide • 2.4.1 Bypass Blocks • 2.4.3 Focus Order • 2.4.4 Link Purpose (In Context) • 2.4.5 Multiple Ways • 2.4.6 Headings and Labels • 2.4.7 Focus Visible • 2.5.3 Label in Name • 3.2.4 Consistent Identification • 3.3.2 Labels or Instructions • 4.1.2 Name, Role, Value • 4.1.3 Status Messages
4.2.11 Privacy	Supports	

Falcon® Platform

Chapter 5: Generic Requirements

Notes: CrowdStrike Falcon supports standard assistive technologies and is therefore not subject to the Closed Functionality criteria described in this Chapter.

Chapter 6: ICT with Two-Way Voice Communication

Notes: The CrowdStrike Falcon platform is not ICT with two-way voice communication.

Chapter 7: ICT with Video Capabilities

Notes: The CrowdStrike Falcon platform is not ICT with video capabilities.

Chapter 8: Hardware

Notes: The CrowdStrike Falcon platform is not a hardware product.

Chapter 9: Web

See the WCAG 2.0/2.1 Report section.

Chapter 10: Non-Web Documents

Notes: CrowdStrike Falcon does not have any non-web software components.

Chapter 11: Software

Notes: The CrowdStrike Falcon platform is not a software product.

Chapter 12: Documentation and Support Services

Notes: The Documentation and Support Services for this product were not evaluated

Chapter 13: ICT Providing Relay or Emergency Service Access

Notes: CrowdStrike Falcon does not provide relay or emergency service access.

Falcon® Platform

Legal Disclaimer

Any VPAT posted anywhere on CrowdStrike's website, or otherwise publicly available, shall not be construed to be included in any contract, either explicitly or implicitly, in whole or in part, absent CrowdStrike's express acknowledgement through language in the contract itself that such report or its substantive equivalent is included.

"Voluntary Product Assessment Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI).